

TTC 16845-3




FIG. 2






FIG. 3A

TTC 16845-3






5/17




6/17



DORIEKRI IRIOO

BY

DEVELS 19W



BY CLASS SUBCLASS

TTC 16845-3




FIG. 4B





FIG. 4C







FIG. 5






FIG. 6A




FIG. 7

BY CLASS SUBCLASE

TTC 16845-3

11/17

630 12345678901234567890123456789012 12:30:55 2 DISTANCE: 2 3 3 4 4 638 5 5 - 632 6 6 7 7 636 8 8 9 9 0 0 1 2 2 [10 75] MARKER: 55 ft [H: 2] 3 **♦▶** CURSOR 4 [V: 1.000] △♥ GAIN [0: 1] 5 ZOOM\_IN ZOOM\_OUT ALIGN more 6 OFFSET+ OFFSET-634 PAGE\_LFT PAGE\_RHT

FIG. 6B

MARKER




FIG. 6C

APPROVED		
BY	CLASS	SUBCLASE
DRAFTSMAN		/

12/17

12:30:55 LINE MEASUREMENT MODE: MASTER RESULT TYPE: INSERTION LOSS SIGNAL TO NOISE BACKGROUND NOISE LOOP RESISTANCE MASTER SLAVE 

FIG. 8A

12:30:55 Idle < INSERTION LOSS ADSL DMT 256 HDSL T1 196 kHz HDSL T1 392 kHz HDSL E1 260 kHz ISDN U 40 kHz ISDN S 96 kHz DDS 82 kHz T1 772 kHz E1 1.024 MHz START 

FIG. 8B

≅

TTC 16845-3

13/17

12:30:55 838 ← >Complete Connected< INSERTION LOSS Tone 192: 768 kHz : -30 dB -31 dB Tone 193: 772 kHz: 70-60--832 dB<sup>40</sup> 30. TONE # **TABLE** RESTART  $\triangleright \triangleright$ 

FIG. 8C

12:30:55 Complete Connected < RESULTS INSERTION LOSS -dB -dB kHz -dBkHz kHz PG-DN RESTART PG-UP GRAPH 

FIG. 8D

APRHOMEN O.G. FIG.

BY CLASS SUBCLASE

OPACTS 11/1/1

TTC 16845-3

14/17

860




FIG. 8E




FIG. 8F



15/17




FIG. 9A




FIG. 9B




FIG. 9C



16/17




FIG. 9D




FIG. 9E





FIG. 9F






FIG. 9G




FIG. 9H